

Certificate of Analysis



Customer Information

Client: Empowered Creations, LLC
Attention: +1 (830) 660-9770
Address: 321 W. Ben White Blvd, Suite 103
 Austin, TX 78704

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: King K Gold
Lot Number: 02052025
Description: Ready-to-drink botanical infused beverage
Condition: Good
Job ID: ISO03302
Sample ID: I08394
Received: 07FEB2025
Completed: 13FEB2025
Issued: 14FEB2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 13FEB2025 | 2157

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	309	mg/unit	2.90	N/A
7-Hydroxymitragynine	Report Results	<LOQ	mg/unit	0.77	N/A
Paynantheine	Report Results	40.1	mg/unit	2.90	N/A
Speciogynine	Report Results	28.3	mg/unit	2.90	N/A
Speciociliatine	Report Results	30.6	mg/unit	2.90	N/A
Total Mitragyna Alkaloids	Report Results	408	mg/unit	2.90	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 13FEB2025 | 2157

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.977	w/w%	0.009	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.002	N/A
Paynantheine	Report Results	0.127	w/w%	0.009	N/A
Speciogynine	Report Results	0.090	w/w%	0.009	N/A
Speciociliatine	Report Results	0.097	w/w%	0.009	N/A
Total Mitragyna Alkaloids	Report Results	1.29	w/w%	0.009	N/A

Residual Solvents: Class I (GC-MS)

Method Code: T201

Tested: 13FEB2025 | 2047

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)**Method Code: T201****Tested: 13FEB2025 | 2047**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	300	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	47	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	47	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	30	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS
Toluene	NMT 890	<LOQ	ug/g	22	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	9.0	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	54	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.8	PASS
Hexane	NMT 290	<LOQ	ug/g	7.3	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.3	PASS
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2.0	PASS
Pyridine	NMT 200	<LOQ	ug/g	5.0	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5.0	PASS
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS

Residual Solvents: Class III (GC-MS)**Method Code: T201****Tested: 13FEB2025 | 2047**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	125	PASS
Ethanol	NMT 5000	108000	ug/g	125	FAIL
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
Acetone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS

Elemental Impurities (ICP-MS)**Method Code: T301****Tested: 12FEB2025 | 1121**

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	<LOQ	ug/g	0.006	PASS
Cadmium	NMT 0.50	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	0.010	ug/g	0.002	PASS
Lead	NMT 0.50	<LOQ	ug/g	0.002	PASS

Microbiological Examination

Method Code: T005

Tested: 10FEB2025 | 1041

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU / g	545	CFU/g	10 CFU / g	PASS
Total Yeast and Mold	100,000 CFU / g	Not Detected	CFU/g	10 CFU / g	PASS
Total Coliforms	10,000 CFU / g	Not Detected	CFU/g	10 CFU / g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS
Salmonella	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS

Pesticides (GC-MS/MS:1/5)

Method Code: T401

Tested: 07FEB2025 | 2150

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Acephate	NMT 0.1	ND	mg/Kg	0.0195	PASS
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0195	PASS
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0195	PASS
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0195	PASS
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0195	PASS
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0195	PASS
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0195	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.0195	PASS
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0195	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.0389	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0195	PASS
Omethoate	Report Results	ND	mg/Kg	0.0195	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.1946	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.0973	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.0973	N/A
Ethion	NMT 2	ND	mg/Kg	0.0195	PASS
Etrimphos	NMT 0.05	ND	mg/Kg	0.0195	PASS
Fenclorphos	NMT 0.1	ND	mg/Kg	0.0389	PASS
Fenclorphos oxon	Report Results	ND	mg/Kg	0.0195	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0195	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0195	PASS

Pesticides (GC-MS/MS:2/5)

Method Code: T401

Tested: 07FEB2025 | 2150

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0195	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0195	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0195	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0195	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0389	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.0389	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0389	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0389	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.0389	N/A
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0389	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0195	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0195	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.0195	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0389	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.0195	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.0195	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.0195	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.0195	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.0195	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0195	PASS

Pesticides (GC-MS/MS:3/5)**Method Code: T401****Tested: 07FEB2025 | 2150**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0389	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0195	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.0389	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.0195	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0195	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.0195	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0195	PASS
Pirimiphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0584	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0389	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.0195	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.0195	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.0195	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.0973	PASS
Cinerin I	Report Results	ND	mg/Kg	0.0973	N/A
Cinerin II	Report Results	ND	mg/Kg	0.0973	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.0973	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.0973	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.0973	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.0973	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.0195	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.0195	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0195	PASS

Pesticides (GC-MS/MS:4/5)**Method Code: T401****Tested: 07FEB2025 | 2150**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0389	PASS
Dieldrin	Report Results	ND	mg/Kg	0.0195	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.0195	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.0195	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0389	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.0195	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.0195	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.0389	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.0195	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0195	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.01	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0389	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0195	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.0389	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0195	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.0195	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.0195	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.0195	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.0195	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.0195	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.0195	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.0195	PASS

Pesticides (GC-MS/MS:5/5)**Method Code: T401****Tested: 07FEB2025 | 2150**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Endosulfans	NMT 3	ND	mg/Kg	0.0195	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.0195	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.0195	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0195	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.0195	PASS
Fenvalerate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0389	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.0389	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0389	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0195	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0195	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0195	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0195	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0195	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0195	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.0195	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0195	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.01	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.01	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0195	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.0195	N/A
trans-Permethrin	Report Results	ND	mg/Kg	0.0195	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0195	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.1751	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.0389	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.0973	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.0195	PASS
S-421	NMT 0.02	ND	mg/Kg	0.0195	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured density of 1.054 g/mL and package specified fill volume of 30.0 mL.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

14FEB2025